

On page 20, line 6, replace "Chemiluninescent" with --Chemiluminescent--.

On page 20, in the footnote, replace "useH409d" with --used--.

On page 20, in the footnote, replace "antiH357body" with --antibody--.

On page 21, line 3, replace "a785dded" with --added--.

On page 22, line 4, replace "smear s" with --smears--.

On page 22, line 9, replace "tes3t" with --test--.

On page 22, line 15, replace "650C" with --65°C--.

On page 22, line 17, replace "50 Al" with --50 µl--.

On page 22, line 20, replace "150 Al" with --150 µl--.

On page 22, line 20-21, replace "50 Al" with --50 µl--.

On page 22, line 23, replace "150 Al" with --150 µl--.

On page 22, line 24, replace "65±20C" with --65±2°C--.

On page 23, line 1, replace "30 3" with --30±3--.

On page 23, line 19, replace "t-o" with --to--.

On page 26, line 23, replace "65±20C" with --65±2°C--.

On page 26, line 26, replace "65OC" with --65°C--.

On page 27, line 14, replace "result.;" with --result--.

On page 28, line 10, replace "100 4l" with --100 µl--.

IN THE CLAIMS

Please cancel claim 28-32 without prejudice.

Please amend claim 33 as follows: